

The Mysore Gazette

PUBLISHED BY AUTHORITY

203

Vol. 93

BANGALORE, THURSDAY, NOVEMBER 27, 1958
(AGRAHAYANA 6, SAKA ERA 1880)

No. 47

PART V

OFFICE OF THE STATE STATISTICIAN FOR MYSORE, BANGALORE.

PART IV—WEATHER AND CROP REPORT.

Model Form (D1).

Weekly Weather and Crop Report for the Week ending Wednesday, the 12th October 1958.

Serial Number	Name of the District	No. of rainy days in the week	Rainfall in Millimeters				Condition of **					Remarks	
			During the week		Since the beginning of the season*		Crop	Livestock	Fodder	Water Supply			
			Actual	Normal	Actual	Normal							
(From 1—10—1958.)													
1	Bangalore...	...	21.6	142.3	166.3	Crops are withering for want of rain in most of the taluks.	Good	...	Sufficient	...	Sufficient except in Channarayana taluk.	(a)	
2	Kolar	...	29.7	170.0	167.4	Fair except in Gudibanda, Gauribidanur and Bangarpet taluks where dry crops are withering for want of rain.	Do	...	Do	...	Sufficient except in Gudibanda taluk.	...	
3	Tumkur	...	22.6	99.0	157.1	Crops are withering for want of rain in almost all the taluks of the District.	Do	...	Do	...	Sufficient except in Madhugiri, Turuvekere and Pavagada taluks.	...	
4	Mysore	...	22.0	110.1	168.8	Fair except in Kollegal, Gundlupet and Nanjangud taluks where crops are withering for want of rain.	Good except at 2 villages of Kollegal taluk where "Foot and Mouth Disease" and "Goat Disease" are prevailing.	...	Do	...	Sufficient except in Kollegal taluk.	(b)	
6	Mandya	...	Nil	21.7	105.5	Fair except in Nelamangala taluk where ragi crop is withering for want of rain.	Good	...	Available	...	Sufficient	...	
6	Hassan	1	8.7	24.5	165.8	Rains are urgently needed for standing crops in most of the taluks	Good	...	Do	...	Sufficient except in Belur Taluk	(c)	
7	Chikmagalur	...	Nil	24.0	100.1	Fair except in Tarikere taluk where crops are withering for want of rain.	Good	...	Do	...	Sufficient	...	
8	Shimoga	...	26.4	145.3	182.7	Good	...	Healthy	...	Do	...	Do	(d)
9	Chitradurga	...	19.1	93.4	127.1	Crops are withering for want of rain in most of the taluks of the district	Good except at two villages of Challakere taluk where "Black-quarter" is prevailing.	...	Do	...	Do	...	
10	Bellary	...	N.A.	61.3	N.A.	Fair except in Bellary taluk where dry crops are badly in need of rain.	Good	...	Sufficient	...	Do	...	
11	Bijapur	117.9	...	Fair except in Indi taluk where crops are badly in need of rain.	Good	...	Sufficient	...	Do	(e)	
12	Belgaum	50.7	...	Fair except in Athani taluk where crops are withering for want of rain. Bajra crop is affected by "Ergot disease" in some parts of Gokak taluk.	Good	...	Do	...	Do	(f)	
13	Dharwar	...	0.4	...	100.9	Fair except in parts of Gadag taluk where Karif-Jowar is affected by "Milk disease" Ragi and Jowar crops are affected by insufficient rainfall in Shiggaon taluk.	Good	...	Do	...	Do	(g)	
14	North Kanara	...	Nil	...	92.3	Fair except in parts of Karwar taluk where it is reported the crops are not fair.	Good	...	Do	...	Do	...	

*The date of the beginning of the season may be indicated.

**EXPLANATIONS.—

Remarks—(a) Refers to whole District except Bangalore South Taluk. (b) Refers to whole District except H.D. Kote and Mysore Taluks. (c) Refers to whole District except Arkaigud Taluk. (d) Refers to whole District except in Shimoga and Sorab Taluks. (e) Refers to 6 taluks. (f) Refers to 5 taluks of the district. (g) Refers to whole district except Hubli, Khalghatgi and Naragund Taluks.

Serial Number	Name of the District	Number of rainy days in the week	Rainfall in Millimeters				Condition of**					Remarks	
			During the week		Since the beginning of the season*		Crop	Livestock	Fodder	Water supply			
			Actual	Normal	Actual	Normal							
15	Gulbarga	...	Nil	N.A.	85.2	N.A.	Fair	...	Good	Sufficient except in Shorapur taluk.	Sufficient	...	(h)
16	Raichur	...	"	"	34.8	"	Fair except in Sindhnur, Kushtagi and Lingasagur taluks where crops are withering for want of rain.	Good	Sufficient	Sufficient except in Sindhnur taluk.		...	(i)
17	Bidar	...	"	"	102.8	"	Fair	...	Good	Available	Sufficient	...	(j)
18	South Kanara	...	"	"	201.7	"	Fair	...	Good	Do	Do	...	
19	Coorg	1	17.3	16.4	1105.2	1086.9	Fair	...	Good except at Kottur village of Bhagamandalanad where "H S. disease" is prevailing.	Do	Do	...	

* The date of the beginning of the season may be indicated.
 ** EXPLANATIONS.—

Remarks—(h) Refers to whole District except Afzalpur taluk. (i) Refers to whole District except Yelburga and Manvi Taluks. (j) Refers to whole District except Bhalki and Santapur Taluks.

M. K. SRI RAMA,
 For State Statistician.

General weekly summary for the week ending Wednesday the 12th November 1958.

Rainfall	Sowing/Trans-plantation	Condition of Standing crops	Harvest	General progress of Agricultural operations	Water Supply	Fodder and pasture	Condition of cattle
1. Bangalore District.							
Nil	Nil	The crops are withering for want of rains in most of the taluks.	Harvesting of Ragi is in progress in Magadi, Anekal and Kanakapur taluks.	Agricultural operations are in progress in 4 taluks.	Sufficient, but insufficient in Ohannappatna Taluk.	Sufficient	Generally healthy.
2. Kolar District.							
Nil	Transplantation of paddy and sugarcane is in progress in Gauribidanur taluk.	The crops are fair, but the dry crops are withering for want of rains in Gauribidanur taluk.	Ragi, groundnut in Ohantamani taluk, Ragi, Samai in Mulbagal taluk, Ragi, Paddy in Bidlaghatta and Melur taluks and Ragi in Bangarpet taluk are being harvested.	Agricultural operations are in progress in 7 taluks.	Sufficient but insufficient in Srinivasapur taluk.	Do	Do
3. Tumkur District.							
Nil	Transplantation of paddy is in progress in Sira and Madhugiri taluks.	The standing crops are withering for want of rains.	Harvesting of Ragi is in progress in Koratagere, Tumkur, Obiaknalkanshalli, Madhugiri and Sira taluks.	Agricultural operations are in progress in 4 taluks.	Sufficient, but insufficient in Turuvekere and Pavagada taluks.	Do	Do
4. Mysore District.							
Nil	Nil	The crops are fair, but the crops are withering for want of rains in Nanjangud and Kollegal taluks. The crops in Gundlupet taluk are badly in need of rains.	Harvesting of Ragi in Kollegal, T.Narasipur, Chamarajanagar and Nanjangud taluks is in progress. Sugarcane in Yelandur taluk and paddy in Krishnarajanagar taluk are being harvested.	Do	Sufficient, but insufficient in Kollegal taluk.	Do	Generally healthy, except for the prevalence of "Foot and mouth disease" for cattle at 3 villages and "Gast disease" at one village of Kollegal taluk.
5. Mandya District.							
Nil	Nil	The standing crops are in fair condition, but Ragi crop in Nagamangala taluk is withering.	Harvesting of sugarcane in Pandavapur taluk and of Ragi in Krishnarajpet taluk is in progress.	The Progress is fair in K.R. Pet and Mandya taluks.	Sufficient	Available	Generally healthy.
6. Hassan District.							
No rainfall except in Manjarabad taluk.	Nil	The crops are fair, but they are in need of rains.	Sugarcane in Channarayana and Hassan taluks and Ragi in Arakere taluk are being harvested.	Progressing in 3 taluks.	Do	Do	Do
7. Chickmagalur District.							
Nil	Sowing of Bengalgram and Hingari Jola is going on in Kadur taluk.	The standing crops are fair, but some crops in Tarikere taluk are withering for want of rains.	Harvesting of Ragi, Paddy in Chickmagalur taluk, Paddy in N.R. Fura taluk, paddy, Ragi, Samai, Navane in Kadur taluk and picking of Areca in Sriageri and Koppa taluks are in progress.	Progressing in 4 taluks.	Do	Do	Do

Rainfall	Sowing/Trans-plantation	Condition of Standing Crops	Harvest	General progress of agricultural operations	Water Supply	Fodder and pasture	Condition of cattle
8. Shimoga District.							
Nil	Sowing of Ellijola and Bengelgram in Channagiri taluk is in progress.	The crops are in fair condition...	Harvesting of paddy in Sagar, Bhadravathi, Channagiri taluks, Ragi and Paddy in Shikaripur taluk and Ragi in Honnali taluk is in progress.	Progressing in 6 taluks.	Sufficient	Available	Generally healthy.
9. Chitradurga District.							
N	Sowing of paddy, Bengalgram in Holakere taluk and paddy in Challakere taluk is going on.	The crops are fair, but are withering for want of rains in most of the taluks.	Ragi, Samal, Navane, Groundnut, Jola, Bajra, paddy and Chillies.	Agricultural operations are in progress.	Do	Sufficient, but scarcity for fodder is felt in Challakere taluk.	Generally healthy, except for the prevalence of "Black Quarter" at 2 villages of Challakere taluk.
10. Bellary District.							
Nil	Sowing of Hingari crops in Harapanahalli taluk is under progress and of Bengelgram in Badagalli taluk has commenced.	The crops are fair but the crops in Bellary taluk are in need of rains.	Jowar, Groundnut, Korra, Cotton.	Progressing in 6 taluks.	Do	Sufficient	Generally healthy
11. Bijapur District.							
Nil	The crops are not fair in Bagalkot, Sindgi and Indi taluks.	Harvesting of kharif Jowar, Bajra, groundnut in Sindgi taluk, Jowar and groundnut in Bagewadi taluk and Jowar in Bagalkot taluk is in progress.	Interculturing operations are in progress.	Adequate	Do	Do
12. Belgaum District.							
Nil	Sowing of Rabi, Jowar and wheat is almost completed in Hamdurg taluk.	The crops are withering for want of rains in Athani taluk and Bajra crop is effected by "Ergot disease" in Gokak taluk.	Harvesting of Bajra and groundnut is in progress.	Agricultural operations are held up for want of rains in Gokak taluk.	Do	Sufficient, but scarcity is felt in some villages of Gokak taluk.	Do
13. Dharwar District.							
Nil	Sowing of gram and linseed in Ven taluk and Jowar in Ranebennur taluk is in progress.	The crops are fair, but kharif Jowar is affected by "Milk disease" in Gadag taluk and Ragi, Jowar crops are affected in Shiggaon taluk.	Harvesting of paddy, groundnut in Shiggaon taluk, paddy, chillies in Hirekerur taluk, paddy in Hangal taluk and groundnut in some taluks is in progress.	Interculturing operations are in progress.	Adequate, but scarcity for drinking water is reported in Belawaniki of Ron taluk.	Sufficient	Do
14. North Kanara District.							
No rainfall except in Yellapur taluk.	Nil	The crops are fair, but the riceown crop in Karwar taluk is not fair.	Harvesting of paddy in Mundgod, Ankola, Yellapur and Sirsi taluks is in progress.	Progressing	Adequate	Sufficient	Do

15. Gulbarga District.												
Nil	...	Nil	...	The standing crops are fair	...	Harvesting of Bajra, jowar in Shabpur taluk, chillies, groundnut, Bajra Kangani in Gulbarga taluk, Bajra in Chitapur Jewargi taluks and Bajra, paddy in Aland taluk is in progress.	Do	...	Do	...	Sufficient, but insufficient, in Shorapur taluk.	Do
16. Raichur District.												
Nil	...	Sowing of jowar in Raichur taluk and of cotton in Koppal taluk is nearing completion.	...	The crops are fair, but the crops are not up to the mark in Sindhanur and Lingaigur taluks.	...	Bajra, Jowar, Kangani, groundnut and paddy.	Do	...	Sufficient	...	Sufficient, but scarcity for fodder is felt in Sindhanur taluk.	Do
17. Bidar District.												
Nil	...	Nil	...	The crops are affected in Bidar taluk due to heavy and untimely rains in previous weeks.	...	Harvesting of jowar, sesamum, groundnut in Humnabad taluk is going on.	Progress in Humnabad taluk.	Do	...	Sufficient	...	Do
18. South Kanara District.												
Insufficient in Puttur taluk. No rainfall in other taluks.	...	Sowing of gram and planting of chillies, sweet potatoes in Puttur taluk and transplantation of II paddy in all the taluks are in progress.	...	The crops are fair	...	Harvesting of I paddy has been completed.	Progressing	...	Adequate but inadequate in Puttur taluk.	Do	...	Do
19. Coorg District.												
Sufficient in Bhagamandala Nad, insufficient in all other Nads.	Completed	...	Fair except in Mercara Nad, where coffee and cardamom crops are affected by diseases.	...	Harvesting of ragi is completed in Kushalnagar Nad. Picking of coffee in Ponnampet Ammathy Nads and of cardamom in Mercara, Aumathy, Srimangala, Somwarpet, and Sanivarasanthe Nads is in progress.	The progress is satisfactory.	...	Sufficient except in Virajpet, where insufficiency is felt.	Do	...	Generally healthy, except for the prevalence of "H.S. disease" at Kottur village of Bhagamandala Nad. Veterinary Department has taken necessary action.	

M. K. SRI RAMA,
For State Statistician.

Model Form D (2) (A).

Statement showing the Weather and Crop abstract for the month of September 1938.

Rainfall				Naye Paise Estimates of Out-turn of Important Crops					
Scanty (0 per cent to 40 per cent of normal)	Deficient (41 per cent to 80 per cent of normal)	Normal (81 per cent to 120 per cent of normal)	Excessive (121 per cent and over of Normal)	Paddy	Ragi	Jowar	Bajra	Sugar-cane	Other crops
1. Bangalore District.									
....	Channarayana taluk	Nelamangala, Kanakapura, Devanahally, Doddaballapur and Magadi taluks.	Bangalore North and South, Hoskote, Ramanagaram and Anekal taluks.	59	46	58	Onions 72 nP., Potatoes 68 nP.
2. Kolar District.									
.....	Bagepally and Gauribidanur taluks	Bangarpet, Sidlaghatta, Chikballapur and Gudibanda taluks.	Kolar, Chintamani, Mulbagal, Malur and Srinivassapur taluks.	56	49	56	50	55	...
3. Tumkur District.									
Gubbi Taluk	Tumkur and Chiknayakanahally taluks.	Sira, Pavagada, Turuvekere, Kunjigal and Koratagere taluks.	Madhugiri and Tipptur taluks	75	54	75	75	71	...
4. Mysore District.									
.....	Nandiand taluk	Normal in all the taluks	66	66	60	...	62	...
5. Mandya District.									
Malavally taluk	Krishnarajpet taluk	Normal in all other taluks	62	37	26	...	75	...
6. Hassan District.									
.....	Normal in all the taluks except Manjrabad taluk.	Excessive in Manjrabad taluk	50	44	75	...
7. Chikmagalur District.									
.....	Normal in all the taluks	69	62	62	...	62
8. Shimoga District.									
.....	Normal in all the taluks except Sorab and Sagar taluks.	Excessive in Sorab and Sagar taluks.	62	37	37	...	56
9. Chitradurga District.									
.....	Challakere, Davangere, Molakalmuru and Harihar taluks.	Holalkere and Chitradurga taluks	Hiriyur, Jegalur and Hosadurga taluk.	55	49	46	47	50	Groundnut 50 nP., Cotton 50 nP., Horsegram 44 nP.
10. Bellary District.									
.....	Harapanahally, Kudligi and Hadagally taluks.	Hospet, Mallapuram and Sandur taluks.

Rainfall					Naye Paise Estimates of Out-turn of Important Crops					
Scanty	0 per cent—40 per cent of normal	Deficient 41 per cent—80 per cent of normal	Normal 81 per cent to 120 per cent of normal	Excessive 121 per cent and over of normal	Paddy	Ragi	Jowar	Bajra	Sugar-cane	Other crops
11. Bijapur District.					37	...	37	31	44	Cotton 37 nP., Wheat 37 nP., Groundnut 31 nP.
12. Belgaum District.					50	44	44	37	56	Groundnut 50 nP., Chillies 50 nP., Tobacco 44 nP., Wheat 37 nP., Cotton 44 nP., Maize 50 nP.
13. Dharwar District.					44	44	37	37	44	Savi 37 nP., Groundnut 44 nP., Kulhi 50 nP.
14. North Kanara District.					50	50	50	Coconut 56 nP., Betelnut 56 nP., Pepper 50 nP., Cardamom 50 nP.
15. Gulbarga District.					44	31	44	38	50	Groundnut 31 nP.
16. Raichur District.					44	...	44	44	56	Groundnut 50 nP.
17. Bidar District.					56	38	56	44	69	Groundnut 63 nP., Pulses 38 nP.
18. South Kanara District.					62	75	75	...
19. Coorg District.					75

A. ANANTHAPADMANABHA RAO,
State Statistician.

Consolidated statement showing the Monthly Weather and Crop Report for the month of September 1958.

MODEL FORM D (2) (b).

Sl. No.	District	Condition of									
		Water supply	Sowing/Transplantation	Standing crops	Harvest	Fodder and Pasture	Cattle	Rainfall	Damages to crop		
1	Bangalore	... Sufficient	... Sowing of Ragi and transplantation of paddy was progressing in most of the taluks.	Good	... Paddy in Anekal taluk, groundnut, onions, potatoes, sugarcane, garlic in Nelamangala taluk were being harvested during the month.	Sufficient	... Healthy	... Deficient in Channarayana taluk, normal in Magadi, Nelamangala, Kanakapura, Devanahalli and Doddaballapur taluks and excessive in the rest of the taluks.	Nil		
2	Kolar	... Sufficient except in Gudibanda and Kolar taluks where insufficiency is felt.	... Transplantation of paddy was completed in Gudibanda, Malur and Chintamani taluks.	Fair	... Onion in Chickballapur taluk, onions, potatoes and garlic in Sidlaghatta taluk is being harvested.	Available	... Do	... Deficient in Bagelally and Gauribidanur taluks, normal in Bangarpet, Sidlaghatta, Chickballapur and Gudibanda taluks and excessive in other taluks.	Nil		
3	Tumkur	... Adequate	... Sowing of Horsegram, transplantation of Ragi and paddy was going on in most of the taluks.	Good	... Harvesting of Ragi and paddy was in progress in Chicknayakanahally, Pavagada and Koratagere taluks.	Do	... Generally healthy except in many villages of Tiptur and Chicknayakanahally taluks where "Blackquarter" is prevailing.	... Scanty in Gubbi taluk, deficient in Tumkur, Chicknayakanahally taluks, normal in Sirsi, Pavagada, Turuvekere, Kunigal and Koratagere taluks and excessive in Madhugiri and Tiptur taluks.	Nil		
4	Mysore	... Sufficient in all the taluks except in Nanjangud and Gundlupet taluks where insufficiency is felt.	... Transplantation of paddy was completed in Yelandur taluk.	Fair	... Groundnut was harvested in Nanjangud and Gundlupet taluks.	Sufficient	... Healthy	... Normal in all the taluks except in Nanjangud taluk where deficient.	Paddy crop was attacked by pests in Nanjangud taluk.		
5	Mandya	... Sufficient	... Transplantation of Paddy was completed in Mandya, Maddur and Malavalli taluks.	Good	... Sugarcane was crushed in Mandya, Pandavapura and Maddur taluks.	Do	... Do	... Scanty in Malavalli taluk deficient in K. R. Pet taluk and normal in rest of the taluks.	Nil		
6	Hassan	... Sufficient	... Sowing of horsegram in Hassan taluk, black gram and cow-pea in Arkalgud taluk was in progress.	Fair	... Ragi was harvested in Hassan, Arkalgud, Belur and Holenarasipur taluks and sugarcane crushed in Channarayana taluk.	Sufficient	... Healthy except in some parts of Belur taluk where "H. S. disease" is prevailing.	... Excessive in Manjrabad taluk and normal in other taluks.	Nil		
7	Chickmagalur	... Do	... Transplantation of paddy was completed in Chickmagalur taluk.	Good	... Sugarcane, Jola, groundnut was harvested in Chickmagalur and Kadur taluks.	Do	... Healthy	... Normal in almost all the taluks.	Nil		
8	Shimoga	... Do	... Transplantation of paddy was completed in Shimoga, Sagar, and Hosanagar taluks.	Good	... Groundnut was harvested in Honnali taluk.	Do	... Healthy	... Excessive in Sorab and Sagar taluks and normal in all other taluks.	Nil		
9	Chitradurga	... Sufficient except in Harihar and Hiriyur taluks where insufficiency is felt.	... Sowing of Hingari crops in dry lands and transplantation of paddy in wet lands of Hiriyur, Chalkakere and Holakere taluks was in progress.	Good	... Mungari crops in dry lands and Gidda Ragi in wet lands was being harvested in most of the taluks.	Sufficient except in Hiriyur taluk where scarcity of fodder and pasture was felt.	... "Black Quarter" was prevailing at some villages of Molkalmuru, Harihar, Chalkakere, Jagalur, Holakere and Hosadurga taluks.	... Excessive in Hiriyur, Hosadurga and Jagalur taluks and normal in other taluks.	Nil		
10	Bellary	... Sufficient except in Kudligi and Hospet taluks.	... Sowing of Mungari crops are completed in most of the taluks and sowing of Hingari crops are commenced in Hadagally and Hospet taluks.	Fair	... Groundnut was being harvested in Hadagally and Harapanahally taluks.	Available	... Cattle disease is reported in some villages of Kudligi taluk.	... Deficient in Harapanahally, Kudligi, Hadagally taluks, normal in Hospet, Sandur, Mallapuram taluks.	Groundnut crop was slightly affected by pests in Sandur taluk.		

Pulses—	(a) Whole	2 0	1 8-1 10	...	2 2-2 8	2 10	1 10	...	1 8	1 8	...	1 8-1 12	...
	(b) Split	2 0	1 6-1 8	2 0	1 8	...	1 6	1 8	...	1 4-1 6	...
	(without skin).	2 7	1 8	...	1 5	1 6
Arhar (Tur)	(a) Whole	3 0	2 2-3 4	...	2 8-2 6	1 12	2 4	...	1 3-1 8	1 8-1 12	2 8-2 10	2 0-2 4	...
	(b) Split	2 0	1 2-1 6	1 1	1 8	1 2-1 4	1 8-1 4	...
	(without skin).
Moong	(a) Whole	3 0	1 7-1 10	...	2 0-2 1	1 10	1 12	...	1 8	1 8	...	1 8-1 12	...
	(b) Split	1 4	1 2-1 3	...	1 2-1 8	1 8	1 4	...	1 4	1 4	...	1 0-1 2	...
	(without skin).
Urd	(a) Whole	3 0	1 14-2 0	...	2 8-2 10	1 15	1 12	2 0	1 10-1 12	1 12-2 0	...
	(b) Split	...	1 4-1 7	...	1 2-1 7	1 4	1 3	...	1 6	1 4	1 0-1 2	1 4-1 6	...
	(without skin).
Masur	(a) Whole	1 4-1 6	...
	(b) Split	1 0-1 2	...
	(without skin).
Other pulses—	(a) Whole	4 0	1 2-1 6	...	2 0-2 2	1 8	1 10	1 6	1 9	1 0-1 2	...
(i) Avare	(a) Whole	...	1 2-1 4	...	1 8-2 0	1 0	1 6	1 4
	(b) Split
	(without skin).
	(ii) Horsegram	...	2 4-2 6	...	2 2-2 6	3 0	3 2	2 6	2 13	2 10	...	2 8-2 12	...
	(iii) Cowpea	...	1 2-1 9	1 12	1 2	1 8	1 12
Sugar and Gur—	(a) Sort I	2 0	1 14	...	1 8-2 0	3 0	2 5	2 6	1 14	2 2	1 14-2 0	2 0	...
	(b) Sort II	2 2	2 6	...	2 4-3 0	4 0	2 8	3 0	2 0	2 6	2 4-2 6	2 2	...
Sugar refined	D. 24	1 0	0 15	...	0 12-0 14	0 15	1 0	0 14	0 15	0 15	0 15-1 0	0 15	...
Oils—	...	0 10	0 10	...	0 10-0 13	0 11	0 12	0 8	0 10	0 10	0 8-0 9	0 10	...
Groundnut oil	0 8	...	0 9-0 10	0 6	0 6	0 6
Sesamum oil	0 10	...	0 9-0 12	0 10	0 12	0 6	0 6	0 9	0 6-0 7
Castor oil	...	0 6	0 6	...	0 6-0 8	0 6	0 6	0 4	0 6	0 6	0 6	0 6	...
Cocconut oil	...	0 7	0 7	0 7	0 6	0 7	0 7	...
Vanaspatti
Other oils—
Fruits, Vegetables and Nuts—
(i) Fruits—
1 Mangoes	Per dozen
2 Plantains	Do	0 6	0 5-0 12	...	0 7-0 15	0 4-0 12	0 5-0 10	0 4-0 12	0 12-0 14	0 5-0 12	0 5-0 11	0 4-0 8	...
3 Oranges	Do	2 18	1 4-2 0	0 12-2 0	0 12-1 8	...	0 12-1 8	0 12-1 0	...	1 2-2 2	...
4 Dates	0 13
5 Cashew kernels	0 4
(ii) Vegetables—
1 Potatoes	...	3 0	2 0-3 0	...	8 0-3 6	2 0	2 0	2 0	2 0	1 14	2 0-3 0	2 4-2 8	...
2 Onions	...	4 0-5 0	4 0-6 0	...	4 2-4 8	4 0	4 0	4 0	3 6	4 2	4 0-5 0	5 8-6 0	...
(iii) Nuts—
1 Cashewnuts
2 Almonds	...	0 6	0 2-0 5	0 4	...	0 2-0 3
3 Pistachios	...	2 8	1 0-1 8	2 0	...	2 2-2 8
Livestock products—
(i) Grains—
1 Milk	...	2 0	2 0-2 8	...	2 6-2 14	2 0-2 8	2 0-2 8	2 0-2 8	2 0-2 8	2 0-2 4	2 0-2 4	2 0	...
2 Ghee	(a) Agmark
	(b) Ungraded	0 3	0 3	0 8	...	0 2	0 2	0 2-0 8	...
Eggs	(i) A Grade	Per dozen	1 19	...	1 12	1 11	...	1 8	1 14	2 0	1 8
	(ii) B Grade	1 8	1 10	...	1 8	1 8	1 2	1 4	1 12	1 12	1 6	1 8	...
	(iii) C Grade	Do	1 6	...	1 2	1 2	...	1 2	1 10	1 4	1 4
Mutton	...	0 6	0 6	...	0 6-0 7	0 5-0 6	0 6	0 6	0 6-0 7	0 6	0 6-0 7	0 6-0 7	...
Beef	...	0 10	0 10	0 10	...
Condiments and spices—
1 Turmeric	...	1 14	1 8-1 10	0 15	1 8	1 8	1 14	2 0-2 4	2 0-2 6
2 Tamarind	...	3 0	1 14-3 2	...	3 0-3 1	3 0	2 12	2 6	0 7-0 13	0 13	0 8-0 9	0 12-0 14	...
3 Dry chillies	...	0 9	0 10-0 16	...	1 0-1 2	0 11-0 12	0 12	1 8	1 4	1 0	1 3
4 Garlic	...	1 0	1 0-1 8	1 12	1 8	0 6	0 6	0 6	...	0 14-1 0	...
5 Pepper	...	0 6	0 6	0 6	0 6	0 6	0 6
6 Cardamom
Miscellaneous—
1 Salt	Per gallon	11 0	14 0	...	12 0-14 8	14 0	16 0	8 0	11 0	2 0-19 0	12 0-13 0	12 0	...
2 Kerosene oil	Per Rly. stand	1 4	1 12-2 0	...	1 4-1 8	1 8-1 12	1 8	1 6	1 8	1 11	1 4-1 8	1 6	...
3 Firewood	Per yard	1 0	0 12-1 0	...	0 10-0 12	0 12-1 4	0 9	0 9	...	1 2	1 10
4 Coarse cloth	0 12	1 0-1 4	0 11	1 2-1 4

R - Reports from Chickmagalur and Bijapur, have not been received.

R - Reports from Chickmagalur and Bijapur, have not been received.

S. V. GOPALA KRISHNA IYER, For Chief Marketing Officer.

OFFICE OF THE DEPUTY COMMISSIONER, SOUTH KANARA DISTRICT, MANGALORE.

Statement showing the wholesale prices of various commodities for the week ending 21st November 1958 at Mangalore.

S. No.	Commodity	Variety	Local unit of transaction (wholesale)	Its equivalent in terms of lbs.	Wholesale prices per whole-sale local unit of transaction on 21st November 1958.	Wholesale price per standard maund of 82-27 lbs. on (previous week)	Wholesale price per standard maund of 82-27 lbs. on 21st November 1958. (current week)	Reasons for variations over 10 per cent in the price as compared with the previous week
1	2	3	4	5	6	7	8	9
1	Paddy I Sort	Maskathi	Moora	63.84 lbs.	Rs. nP. 11 00
2	" II Sort	Guddu	"	"	10 00
3	" III Sort	Suggi	"	"	9 75
4	Rice I Sort	Maskathi	"	64 lbs.	25 00
5	" II Sort	Guddu	"	"	24 50
6	" III Sort	Suggi	"	"	23 00
7	Ragi	"	"	41 lbs.
8	Cane jaggery	I Sort	Candy	60 lbs.	160 00
9	"	II Sort	"	"	130 00
10	Cocconuts	Unhusked	1,000 Nuts	...	230 to 330 00
11	"	Husked	"	"
12	Copra	Office	Candy	400 lbs.	510 00
13	"	Divi	"	"	505 00
14	"	Dilpasand	"	"	495 00
15	Cocconut Oil	"	Maund	48 lbs.	84 00
16	Cashew Kernels	"	Cwt.	112 lbs.	220 00
17	Cashew Nuts	"	Moora	5 "
18	"	"	"	72 "	103 to 120 00
19	Cardamoms	Mysore	Maund	48 lbs.	280 00
20	Malabar black pepper	Coorg	"	"	220 00
21	Ginger	"	Cwt.	112 lbs.	105 00
22	Tobacco	"	"	"
23	"	Chewing	Maund	48 lbs.	50 00
24	"	Snuff	"	"	65 00
25	"	Beedi	"	"	75 00
26	Arecanuts	Unhusked	1,000 Nuts	...	23 to 34 00
27	"	Husked Old	Cwt.	112 lbs.	240 to 270 00
28	"	" New	"	"	200 to 220 00
29	Gunny Bag	"	Each	"	1 25
30	Chillies	Kumtha	Candy	60 lb.
31	"	Local	Maund	48 lbs.	28 to 31 00
32	"	Kasaragod	"	5 lbs.
RETAIL PRICES.								
	Tobacco	Chewing	Per lbs.	...	2 25
		Snuff	"	...	2 50
		Beedi	"	...	2 50
CATTLE FOOD.								
	Groundnut Oil Cake	Bag	154 lbs.	...	21 00
	Cotton Seeds	"	140 lbs.
	Horsegram	"	305 lbs.	...	44 to 47 00

N.B.—Columns (7) and (8) should be in terms of rupees and naye paise.

953

....., Dy. Commr.

MYSORE STATE DEPARTMENT OF PUBLIC HEALTH.

NOTE ON THE STATE OF PUBLIC HEALTH IN MYSORE STATE.

WEEK ENDED SATURDAY, 15th NOVEMBER 1958.

The State remained free from Plague, during the week. Comparative figures for the corresponding week in 1956 and 1957 were 12 attacks with 6 deaths and nil attack with nil death respectively.

A total of 26 attacks with 7 deaths from Small-pox were reported from the Cities of Bangalore, Kolar Gold Fields and from the towns of Malavally, Nelamangala and from the taluks of Doddaballapur, Heggadadevanakote, Sargur and Somwarpet.

A total of 19 attacks with 11 deaths from Cholera were reported from the towns of Nyamathy and from the taluks of Hosadurga, Jagalur and Kudlige.

The total of 4 attacks with nil death from Kyasanur Forest disease was reported from Shimoga District.

The State remained free from Yellow Fever, Relapsing Fever, Influenza and Infectious Hepatitis.

The total mortality for Bangalore Corporation amounted to 216 (67 in hospitals) for the week giving a calculated death rate of 9.0 (6.2 excluding hospital deaths) per mille of population (annual basis) as against 4.8 (3.4 excluding hospital deaths) for the corresponding period of last year. Classified according to causes of deaths, 8 were due to Other Fevers, 34 due to Dysentery and Diarrhoea 2 due to Consumptions and 172 due to all other causes.

The total mortality for Mysore City was 60 (23 in hospitals) for the week representing a calculated death rate of 9.46

8.9 (5.5 excluding hospital deaths) per mille of population (annual basis) as against 9.0 (7.3 excluding hospital deaths) for the corresponding period of last year. Classified according to causes of deaths, 19 were due to Other Fevers, 5 due to Dysentery and Diarrhoea, 2 due to Consumption, and 34 due to All Other Causes.

There were 27 deaths (7 in hospitals) for the week from all causes in Kolar Gold Fields City equivalent to a calculated death rate of 7.8 (5.7 excluding hospital deaths) per mille of population (annual basis) as against 9.1 (7.6 excluding hospital deaths) for the corresponding period of last year. Classified according to causes of deaths, 1 was due to Malaria, 2 due to Dysentery and Diarrhoea 1 due to Consumption and 23 due to All Other Causes.

The total mortality for Belgaum City was 13 (1 in hospitals) for the week representing a calculated death rate of 6.5 (5.6 excluding hospital deaths) per mille of population (annual basis) as against 7.3 (7.3 excluding hospital deaths) for the corresponding period of last year. Classified according to causes of deaths, 1 was due to Other Fever, 1 due to Dysentery and Diarrhoea and 11 due to All Other Causes.

The total mortality for Mangalore City was 7 (nil in hospitals) for the week representing a calculated death rate of 2.3 (2.3 excluding hospital deaths) per mille of population (annual basis) as against 9.2 (2.9 excluding hospital deaths) for the corresponding period of last year. Classified according to causes of deaths, 2 were due to Consumption and 5 due to All Other Causes.

S. SESHAGIRI RAU,
Director of Public Health.



PART V

OFFICE OF THE STATE STATISTICIAN FOR MYSORE, BANGALORE.

PART IV—WEATHER AND CROP REPORT.

Model Form (D1).

Weekly Weather and Crop Report for the Week ending Wednesday, the 26th November 1958.

Serial Number	Name of the District	No. of rainy days in the week	Rainfall in Millimeters				Condition of **					Remarks		
			During the week		Since the beginning of the season*		Crop	Live-stock	Fodder	Water Supply				
			Actual	Normal	Actual	Normal								
(From 1—10—1958.)														
1	Bangalore...	3	79.3	9.9	220.1	188.1	Fair	...	Healthy	...	Sufficient	...	Sufficient except in Channarayana Taluk.	(a)
2	Kolar	3	64.3	12.2	235.5	166.0	Fair	...	Do	...	Do	...	Sufficient except in Gudibanda taluk where insufficiency is felt.	(b)
3	Tumkur	3	53.4	8.0	160.4	177.7	Fair in all the taluks except in Koratagere taluk where crops are poor.	...	Do	...	Available	...	Sufficient except in Pavagada and Turuvekere taluks where insufficiency is felt.	...
4	Mysore	3	119.2	9.7	216.7	202.4	Fair	...	Healthy except "Black-quarter" is prevailing at four villages of Hunsur taluk and some villages of Periyapatna taluk.	...	Do	...	Sufficient	...
5	Mandya	3	88.9	9.8	195.4	203.0	Do	...	Healthy	...	Do	...	Sufficient	...
6	Hassan	2	65.1	10.8	219.5	202.4	Good	...	Do	...	Do	...	Do	...
7	Chikmagalur	2	42.7	7.5	144.7	203.0	Fair	...	Do	...	Do	...	Do	...
8	Shimoga	2	19.7	7.2	155.6	169.8	Do	...	Do	...	Do	...	Do	...
9	Chitradurga	2	20.2	6.7	113.6	142.6	Fair except in Molakalmuru taluk where crops required more rains.	...	Healthy except at one village of Jagalur taluk where "Galile Raga" is prevailing.	...	Available except in Challikere taluk.	...	Do	...
10	Bellary	3	34.4	N.A.	98.2	N.A.	Fair	...	Good	...	Available	...	Do	(e)
11	Bijapur	1	8.0	..	80.8	..	Fair except in parts of Mudhol taluk where Kharif crop is affected by "Jigi disease."	...	Good except at two villages of Hungund taluk where cattle disease is prevailing.	...	Sufficient	...	Adequate	(f)
12	Belgaum	1	5.3	..	65.0	..	Crops are withering for want of rain in most of the taluks.	...	Good except in Athani taluk where "Black Quarter" and "Epizootic Aphtha" is prevailing.	...	Sufficient	...	Sufficient except in Gokak, Sampagaon and Raibagmahal where scarcity is felt.	(g)
13	Dharwar	2	24.1	..	126.0	..	Kharif-jowar is affected by "Milk disease" in Gadag taluk and by "Sugary disease" in Nargund taluk.	...	Good except for the prevalence of cattle disease at one village of Kundgol Mahal.	...	Sufficient	...	Sufficient except at one village of Nargund taluk.	(h)
14	North Kanara	1	13.6	N.A.	112.3	N.A.	Fair	...	Good except at two villages of Yellapur taluk where "Foot and Mouth disease" is prevailing.	...	Available	...	Available	...
15	Gulbarga	1	12.0	..	101.0	..	Do	...	Good	...	Sufficient	...	Sufficient	...
16	Raichur	1	23.4	..	64.8	..	Do	...	Good except at 4 villages of Deodurg taluk where cattle disease is prevailing.	...	Do	...	Do	...
17	Bidar	3	22.9	..	108.9	..	Good except in parts of Humnabad taluk where Kharif Jowar and groundnut crops have affected by recent rains.	...	Good	...	Available	...	To	(i)
18	South Kanara	4	36.3	..	949.4	..	Fair	...	Good	...	Do	...	Do	...
19	Coorg	4	102.5	12.0	1218.7	1127.7	Do	...	Good	...	Do	...	Do	...

* The date of the beginning of the season may be indicated.

** EXPLANATIONS—

Remarks—(a) Refers to whole district except Bangalore South taluk, (b) Refers to whole District except Gauribidanur taluk, (c) Refers to whole District except Malavalli taluk, (d) Refers to whole District except Manjashabad taluk, (e) Refers to whole District except Bellary taluk, (f) Refers to whole District except Muddebihal and Bagalkot taluks, (g) Refers to whole district except Belgaum taluk, (h) Refers to whole district except Kalhatgi, Dharwar and Mundargitaluks, (i) Refers to whole district except Santapur taluk.

M. K. SRI RAMA,
For State Statistician.